14

# DORCHESTER RURAL DISTRICT COUNCIL



# ANNUAL REPORT

OF THE

Medical Officer of Health

AND THE

Senior Public Health Inspector

for the Year

1963



# DORCHESTER BOROUGH. DORCHESTER RURAL DISTICT.

With the Compliments
of the
Medical Officer of Health.

COUNTY CLINIC, CLYDE PATH ROAD, DORCHESTER. Digitized by the Internet Archive in 2017 with funding from Wellcome Library

#### PUBLIC HEALTH COMMITTEE

Mr. E.A. BURT (Chairman)
Mr. H.W. HAWARD, J.P. (Vice-Chairman)
Mr. F. GUPPY, J.P., Chairman of the Council

Lt.-Gen. A.N. FLOYER-ACLAND

Mr. I.K. BRYANT

Brig. H.J.B. CRACROFT

Mr. A.S.T. DUNFORD

Major N.D. MARTIN

Mr. A.T. PASHEN

Major H.C. ROBERTS

Mr. R.W. SMITH

Mr. E.B. SWAFFIELD

Mrs. E.E.S. BOWN

Mr. C.A. BUDDEN

Mr. P.A. DENTY

Dr. E.W. MANN

Mr. F.S. MAY

Mrs. A.M. RADCLYFFE, J.P.

Mr. G.H. SHUTE

Mr. A.P. STONE

Major R.G. WARREN

Mr. R.M.E. WILLIAMS

#### STAFF - PUBLIC HEALTH DEPARTMENT

Medical Officer of Health (Part-time) I.B. LAWRENCE, B.Sc., M.B., D.P.H.

Also Medical Officer of Health for Dorchester Borough Council and Senior Assistant County Medical Officer of Health. Time allocated for duties with your Council, four half days per week.

Clerical Assistant for Medical Officer Miss B.J. GREENING

Same allocation of time as Medical Officer of Health

Senior Public Health Inspector

Additional Public Health Inspectors

Clerical Assistant for Inspectors

N. RAWLINS, M.A.P.H.I.

J.M. STAMP, M.A.P.H.I.

J.B. SALT, M.A.P.H.I., A.R.S.H.

Mrs. M.M. BIRD

Miss A.P. MAY
(as at 31st December, 1963)

Mr. R.J. HEMSLEY

E. BUDDEN

A.J. WATSON

Rodent Operators

The Public Health Inspectors are engaged on full time duties.

Health Centre, Glyde Path Road, Dorchester.

Tel: Dorchester 1000

To the Chairman and Members of the Dorchester Rural District Council.

Ladies and Gentlemen,

I have the honour to present my fourteenth Annual Report on the Health and Sanitary conditions of the Rural District of Dorchester for the year 1903. It is written on the lines suggested by the Ministry of Health.

Cases of measles have been reported throughout the year, reaching a maximum during the months of June, July and August and, although this is an Autumnal disease, it is quite common to have the disease in the summer months in this area.

The whooping cough was confined to one village and the scarlet fever cases were isolated occurrences.

Sporadic cases of sonne dysentery were notified and at the same time small outbreaks of gastric enteritis occurred, in one case it necessitated the temporary exclusion of a canteen worker until the result of a sample was obtained.

The main event of 1963 was the exceptional cold weather and prolonged snow in the beginning of the year, with its attendant burst pipes and shortage of water and a word of praise is due to the staff of the water engineer, housing manager and the public health officers, especially regarding the collection of refuse. The weather also brought out the plight of old people under these conditions and a special Report was made to the Council.

Further to my remarks last year regarding the provision of a cesspool emptier, the vehicle has been purchased and is now in use.

The new Meat Inspection Regulations, which came into force on 1st October, have caused numerous problems in staffing. It was unfortunate that they came into force at the beginning of the busiest time of the year for slaughtering. The shortage of Inspectors, which must have been foreseen, resulted in the failure to obtain extra staff, inspite of efforts made by the Council by advertising. This necessitated the employment of outside help and prolonged hours of work including overtime by the Public Health Inspectors with its added expense. The Inspectors must be commended on the way they carried out this arduous task. Unfortunately, because of the amount of time necessary on meat inspection, the general public health work had to be restricted.

Immunisations, which are the responsibility of the County Council, continued during the year and the following figures have been given by the County Health Department:-

B.C.G.	POLIOMYELITIS	DIPHTHERIA	WHOOPING COUGH	TETANUS	SMALLPOX
	P. 3rd 4th	P. B.	Р. В.	Р. В.	P. B.
<b>₹</b> 55	(258) (55)(332) 63 53 42	191 234	177 70	303 203	61 23

P. = Primary

B. = Booster

Figures in brackets = By Oral polio vaccine \* Refers only to children in the two senior schools in the Rural District.

Special Reports to the Council were made on Fluoridation, Smoking and Health, Housing of Old People (in regard to cold weather).

If I may, for a moment, look back in this my final Report, I feel that much has been achieved by the Council, especially in provision of mains water supply, inevitably followed by sewage disposal schemes; the building of Council Houses, the very high numbers of houses reconditioned with the aid of Discretionary and Standard Grants and the building of houses especially for old people. Caravans have increased considerably and, following the Caravan Act, the sites have substantially been brought up to satisfactory standards. Much has yet to be done and I am sure, as the circumstances permit, this will be achieved by the Council.

Probably the greatest achievement in the last two decades has been the control of infectious diseases by the use of immunisation procedure. This, by the way, was impossible without the co-operation of the parents. Diphtheria is now rare, polio is following a similar path, tetanus protection is proceeding very well and the response to B.C.G. in schools to prevent Tuberculosis is good. Much research is now going on to control the virus diseases and a vaccine against measles is on trial.

May I express my thanks again to the Chairman of the Council, the Chairman of the Health Committee and all Members of the Council for their co-operation and help during the year and also to the previous Chairmen and Members during my years as your Medical Officer of Health.

I wish to express my gratitude to the Heads of other Departments and their Staff for their ready co-operation in all matters and finally to the Senior and Assistant Public Health Inspectors over the period of

years for their continued effort, support and diligence to duty, not forgetting the Clerical Staff, especially my Clerical Assistant at the Clinic.

Your obedient Servant,

1. D. Lanner.

Medical Officer of Health

# GENERAL STATISTICS

# (Figures for 1962 shown in brackets)

Area Resident Population Number of houses inhabited at the end of Rateable Value as at 31st March, 1964 Sum represented by Penny Rate (1963-1965)	of 1963	18,2 5,6	82 00 (£1	18,110) (5,243) (63,560) (£645)
VITAL STATI	STICS			
Population - Estimate for Births and De	eaths	18,	240	
Comparability Factor	<b>5 * 9</b>		1.18	
Births	Males	Females	Total	
Legitimate Illegitimate Totals	170 <u>16</u> <u>186</u>	152 6 158	322 22 344	(283)
Still Births				
Legitimate Illegitimate Totals	2 1 3	5	7 1 8	(9)
Deaths - All Causes	126	180	306	(277)
Deaths of Infants under 1 year (Infant	Mortality)			
Legitimate Illegitimate Totals	4	4	8	(6)
Deaths of Infants under 4 weeks (Neo-Na	tal Mortal:	ity)		
Legitimate Illegitimate Totals	anne construet	2	6	(5)
Deaths of Infants under 1 week (Early N	ieo-Natal Mo	ortality)		
Legitimate Illegitimate Totals	4	2 1798 union destructure 2 conservativitations	6	(3)

		1963	1962	1961
Birth Rate x Comparability Factor Birth Rate for England and Wales Death Rate x Comparability Factor Death Rate for England and Wales Infant Mortality Rate Infant Mortality Rate for England and Wal	es .	11.74	18.0	17.4
DEATHS FROM ALL CAUSES	Males I	Pemales 1	<u> </u>	
Tuberculosis, respiratory Puberculosis, other Syphilitic disease Diphtheria Whooping Cough Meningitis Poliomyelitis Measles Other infective and parasitic diseases Jancer of stomach Cancer of lung, bronchus Jancer of breast Cancer of uterus Other cancers Acute Anaemia Diabetes Vascular lesions of nervous system Goronary disease, angina High Blood Pressure with Heart Disease Other Circulatory Diseases Influenza Pneumonia Bronchitis Other diseases of respiratory system Tleer of stomach and duodenum Castritis, enteritis, diarrhoea Tephritis and Nephrosis Typerplasia of prostate Pregnancy, childbirth, abortion Jongenital malformations Other defined and ill-defined diseases Motor vehicle accidents All other accidents Suicide				(-) (-) (-) (-) (-) (-) (-) (-) (-) (-)
All Causes	126	180	306 (	277)

\* 1

### INFECTIOUS DISEASES

The following table summarises the notifications of infectious diseases made during the year:-

Disease	0-	1-	3-	5-	10-	15-	25-	45-	65-	A.U.	TOTAL	Hos- pital	Deaths
Scarlet Fever	CALIE	9,310	witte	3	1631cg	мсув	Annie	ANDARON	una	PER	3	&/GM	***
Whooping Cough	67-pai	m-SJ	1	3	tcosh	Sudane	and	econd*	870%	Wid	4	460 cap	901
Measles	7	59	66	195	41	4	. 4			4	380	BY Dad	ccab
Pneumonia	Name of the last	-	2	2	9	1	3	3	3	1	24	_	900a
Dysentery	1	1	1	2	1	40048	4	45300	WHICH	1	11	ganda.	(AZTOR)
Puerperal Pyrexia	goods	9.01C06	dicate	Accept	ecob	ACTING	1	grea	epter231	600c.#	l	1	-
Poliomyelitis	ecce ,	61674 <u>.</u>	decide .	4004	wicz	#col#	\$10 <b>96</b>	E-4	eta.	Borell	g-204	-	-
Food Poisoning	\$12.0 <b>6</b>	quore.	w.a	10°-	en.us	~ *******	et par	to . Tangé	dicinal	esen.	00000	acress	-
Encephalitis	rete	sc/h	Ressil	galandig	sprus	Rodole	en.ye	-	elia el	temp	garing.	-	-
Ophthalmia Neonatorum	NESCO	taget a	****	elprik	excep	(scr)	62.76	ĝt.zio	639	et.com	6006	wass	bics
Meningitis	May	93/M	***	61349	produ	(CR)	engire	t cyle	(CSC)	Vape	6.38	-	6029

e s a a

#### TUBERCULOSIS

During the year 1963, the following cases and deaths from Tuberculosis were notified (figures for 1962 shown in brackets):-

		Question, highermone	CASES	DEATHS Respiratory Non-Respiratory				
Age :	Respi	ratory.	Non-Res	spiratory	Respi			
				Female		Female	Male	Female
0	teme	46298	gipt cons	%	еста	to Cough	£1:300	er a
1	(min)	MOW .	banda	6ccd	Фале	8000	6,000	enques.
5	arton	Statistic Control of the Control of	Wash	drillow)	BC29	\$Exasts	46000	quine
10	(12.00E)	-	M200	SECUR	ext.	(22.77)	(c/Fig	ethods .
15	WANTE	1	91/P.4.]	ticos)	2.710	\$600mm	Mittee	8.94
25	score a	mont/	apt de	<b>***</b>	erolek	ertos	esph.	ACTES
35	2	1	<b>GENERAL</b>	genes.	dore	93%	some.	tions.
45	1	Wante	GETAG	distrail	<b>t</b> aa	WIND	to make	g(CC36)
55	etone	estatus	<del></del>	BAC2	ectron	© Code		me#
65	1	(220)	quay	1	1	Girm	Scane	100
Age								
Unknown	1000	eros :	6000	0.000	dona	£ 3000	(mody)	4cme
	Company to the property of the company of the company to the company of the compa		portuguis de le grande de la gr	milionnenwateren delphysiophysiophysione entachministe de nappenium	obaccing province distribute fields of the Constitution of the Con	oliginga versige som stage at versige till singang krope 444 km/d at 444 de ville om 44 sp	province and a supplication of the supplication and the supplication of the supplicati	
			,		_ / \		,	
TOTALS:-	4(5)	2(-)	6006 ( AUG	1 ( *****)	1 ( ****)	-(-)	-(-)	-(-)
	фина Айлайтчан унацестица	nemenngarjonik sarrodomiyala eksiganzirindik eksyzilganya ek		ik schlich derzeldssche bisseldschaus dezembetallikassons aussch	Automortenogenesis (Maritin de Sillo des Sillones)	iss 400400, ANN Guideschille 4-spirets, 46 Gefühllenksnug ochtsv	priesaliinii viniili illimii danminenii estemporiid	innigational decomplishers and an indicate the control of the cont

### LABORATORY FACILITIES

I wish to express my thanks to Dr. T.V. Cooper of the County Laboratory, and Dr. G.H. Tee of the Public Health Laboratory, and their staff for their continued help and co-operation during the year.

The following is a table of specimens submitted to the Laboratories from all sources (figures for 1962 shown in brackets):-

Throat swabs	2	(12)	Milk	229	(154)
Facces	35	(21)	Ice Cream	33	( )
Blood	6	(9)	Water	373	(467)
Sputum	25	(44)	Sewage	1	(3)
Miscellaneous	27	(31)			(-)

#### MILK.

The following information on sampling was received from the County Council who, under the 1960 Milk (Special Designation) Regulations, is responsible for the licensing of dealers:-

Of the 229 samples from Retailers and Retailer-Producers which were taken, all passed the Statutory Tests except 9 which failed the Methylene Blue Test, 2 which failed the Phosphatase Test and 1 which failed the Methylene Blue and Phosphatase Tests. A further 109 samples were taken from schools and there were two failures and 24 from canteens with only one failure.

#### HOUSING

Council Houses	In Process of Erection.	Completed in 1963	Completed Since War
Temporary	desire	-	COM
Permanent - Traditional Non-Traditional	bright Lates	,0000 9000	515 60
Converted into Flats	ense.	dosh	833k
Hutted Camps (Note: These remaining huts are administered under paragraph 4 o Circular 20/46)	£.	ense	5
Number of Council Houses (pre-war	)		199
Number of Post War houses complet	ed and occupied	at 31.12.63	575
Total Number of Council Houses at	31.12.63		774
Improvement Grants			
Number of dwellings in respect of was given during 1963:-  Discretion Standard	nary Grants 21		72
Number of dwellings in respect of		was given	
Monday of ameritarien The replace of	prior	to 1963	736
		TOTAL:	808

# HOUSING (Contd.)

The policy of the Housing Committee to issue Improvement Grants has brought up the total number of Grants to 808. This is a very satisfactory figure as it enables the villages to retain their compact character and prolongs the useful life of many old houses which are structurally sound, but which lack modern amenities. Unfortunately, no new Council Houses were creeted during the year, but the programme for next year is encouraging.

# Ment Act, 1957 (Repairs)

One application for a Certificate of Disrepair was received during the year 1963.

#### Caravans and Tents

The work of bringing caravan sites up to the Regulation standard is still proceeding: this entails numerous visits and discussion with the Owners. The completion of these essential amenities should appreciably reduce possible health hazards.

#### AMBULANCE SERVICES

To call the ambulance for routine work, ring Dorchester 1761-3, in an emergency ask the exchange for ambulance. Always state urgency, nature of case, full address and which ambulance is required, e.g. sitting or stretcher case.

#### NATIONAL ASSISTANCE ACT

No action was necessary under Section 47 of this Act, but a number of persons were kept under observation and in some cases the aid of the Home Help Service was enlisted. The Welfare Officers of the County Council are doing excellent work in regular supervision of these elderly people.

No applications were received during 1963 under Section 50 (Burial of the Dead) of the above act.

# PUBLIC CLEANSING AND REFUSE DISPOSAL

A fortnightly collection service is still maintained in this large rural area - the provision of a weekly collection was discussed thoroughly by the Council, but its introduction was deferred.

# SWIMMING BATHS

There are no public swimming baths in the district.

# MEAT INSPECTION

Meat inspection has been mentioned in my opening remarks and Mr. J.B. Salt, one of the Additional Public Health Inspectors, who is responsible for meat inspection, has kindly supplied this more detailed Report on this subject:-

The Meat Inspection Regulations, 1963, which became operative on 1st October, 1963, have imposed added difficulties on Local Authorities and their Public Health Departments. The Regulations have the effect of making it obligatory for Local Authorities to carry out Meat Inspection in accordance with a Mandatory Code of Practice and require that inspection shall be carried out "as far as is practicable" at the time of slaughter. They also empower Local Authorities to recover the cost of inspection, within a specified scale of charges, from the Meat Trade.

In view of the acute shortage of Public Health Inspectors, and the disappointing recruitment of Authorised Meat Inspectors, it would seem that the country was not ready for the introduction of the Regulation's requirements at such short notice. Lack of inspection staff is aggravated by uncontrolled slaughtering hours and by the multiplicity of small slaughterhouses where the rate of slaughter is lower than that of inspection, resulting in under-employment of staff if the Regulations are to be properly observed. Reciprocal goodwill on the part of the meat trade and Local Authorities is going some way to overcome the lesser problems, but the major ones must remain until the fundamental difficulties mentioned above are overcome. Whilst Local Authorities are considering their problems it is hoped that the Meat Trade is giving thought to ways in which unreasonable slaughtering hours and week-end slaughtering can be obviated, and the Government to a policy of centralised slaughtering, whereby full economic use can be made of the available inspection staff.

The difficulties experienced by this authority to implementing the Meat Inspection Regulations, 1963, account almost entirely for the discrepancy, albeit not great, between the number of animals slaughtered and inspected in the area. It is anticipated, however, that following discussions with the Meat Trade, it will be possible in the near future to carry out 100% inspection in the manner required by the Regulations.

#### WATER SUPPLIES AND SEWAGE DISPOSAL

I am indebted to Mr. I.C. Forbes, the Council's Water Engineer, for the following information:-

#### Water Supply

The following extensions have been made to the water supplies:-

Abbotsbury - 550 yards of 3" water main to Abbotsbury Mill & Cottages.

Cattistock - 690 yards of 3" water main to Sandhills Hamlet, Cattistock.

Charminster - 400 yards 3" water main to new Housing Estate .

Cheselbourne - Supply improvement to Village with new 2" main.

Langton Herring - 2" main to serve Lower Farm Area.

Long Bredy - Main supply scheme 3,450 yards 3" main from Litton Cheney +

Owermoigne - Housing Estate Main, Holland Mead 220 yards 3" main and Dick O'th Banks 380 yards 3" main.

Puddletown - 3" water main to new School.

Details for each Parish are to be found on pages 13, 14, 15 and 16.

# Sewerage

The Cerne Abbas sewerage scheme was placed in commission on Friday, the 4th October, 1963, and a considerable number of connections to the public sewers have already been made.

I am also indebted to Mr. N. Rawlins, the Senior Public Health Inspector, for supplying the following Annual Report for the year ending 31st December, 1963.

# SANITARY INSPECTION OF THE DISTRICT

#### HOUSING

Inspections	and	visits	carried	out:-
				A series a series and series as a series a

Number of houses inspected	- (a) Under (b) Under	Housing Act 241 Public Health Act 1	
Number of return visits		Housing Act 283 Public Health Act -	
Number of general visits		19	
Number of visits in connect: Subsequent action taken and			
Summary of Notices served -	Informal	(a) Under Housing Act (b) Under Public Health A	30 Act 7
	Statutory	<ul> <li>(a) Under Housing Act</li> <li>1. Closing Orders</li> <li>2. Demolition Orders</li> <li>3. Undertakings</li> <li>4. Repair</li> <li>(b) Under Public Health A</li> </ul>	2 6 - 1ct 94
Houses rendered fit after service of	Informal	(a) Under Housing Lct (b) Under Public Health	12 Act -
notice including those in respect of which notices were served in previous years.	Statutory	(a) Under Housing Act (b) Under Public Health A	ct -
Number of Houses demolished		• • •	14

# WATER SUPPLIES

	3 2
SAMPLING - Total number of samples taken:-  (a) From 6 Statutory Undertakings  (b) From 24 Private Undertakings	113 142 255
Results - Bacteriological examinations:-  (a) Satisfactory (from 25 supplies)  (b) Suspect (from 13 supplies)  (c) Unsatisfactory (from 13 supplies)	174 33 48 255

# WATER SUPPLIES - Separate details for each Parish

Parish	Source of Piped Supply	Name of Statutory Undertaking
ABBOTSBURY ALTON PANCRAS	Borehole at Portesham Borehole at Alton Pancras	Dorchester R.D.C. via Poole & East Dorset Water Board
ATMELHAMPTON	Borehole at Alton Pancras	Dorchester R.D.C. via Poole & East Dorset Water Board
BINCOMBE	Spring at "Empool" West Knighton and Borehole at Sutton Poyntz	Weymouth Waterworks Co.
BROADMAYNE BUCKLAND NEWTON	Spring at "Empool" West Knighton Boreholes at Llton Pancras and Buckland Newton	Weymouth Waterworks Co. Dorchester R.D.C. via Poole & East Dorset Water Board
BURLESTON	Borehole at Alton Pancras	Dorchester R.D.C. via Poole & East Dorset Water Board
CATTISTOCK	Borehole at Cattistock	Dorchester R.D.C. via Yeovil Corporation
CERNE ABBAS CHARMINSTER CHESELBOURNE	Borehole at "Forston" Charminster Borehole at "Forston" Charminster Borehole at 41ton Pancras	Dorchester R.D.C.
CHICKERELL	Borehole at Sutton Poyntz and Springs at "Empool" West Knighton	Weymouth Waterworks Co.
CHILFROME DEWLISH	Borehole at Maiden Newton Borehole at Milborne St. Andrew	Dorchester R.D.C. Dorchester R.D.C. via Poole & East Dorset Water Board
FLEET	Springs at "Empool" West Knighton and Borehole at Sutton Poyntz	Dorchester R.D.C. via Weymouth Waterworks Co.
FRAMPTON FROME ST.QUINTIN	Borehole at "Forston" Charminster Borehole at Cattistock	Dorchester R.D.C. Dorchester R.D.C. via Yeovil Corporation
FROME VAUCHURCH GODMANSTON E LANGTON HERRING MAIDEN NEWION HELCOMBE HORSEY	Borehole at Maiden Newton Borehole at "Forston" Charminster Borehole at Portesham Borehole at Maiden Newton Borehole at Milborne St. Andrew	Dorchester R.D.C. Dorchester R.D.C. Dorchester R.D.C. Dorchester R.D.C.
MINTERNE MAGNA (Lyons Gate)	Borehole at Buckland Newton	Dorchester R.D.C. via Poole & East Dorset Water Board Sturminster Newton R.D.C.
METHER CERNE OSMINGTON	Borehole at "Forston" Charminster Spring at "Empool" West Knighton	Dorchester R.D.C. via
OWERMOIGNE	Spring at "Empool" West Knighton	Weymouth Waterworks Co. Dorchester R.D.C. via Weymouth Waterworks Co.

			rties lied	es estre più carrier man à maria a accesa	Proper Not Sup	and the contract of the contra	desp distincts and distincts a rate	Bacteriological Water Analysis			
PARISH	Dwell hous In- door	es Out-	Oth Prope In- door	rties Out-	Dwelling Houses	Other Prop- erties	Trea Satis-		tis-		
ALTON PANCRAS	133 22	23 11	13	onemas el	45 9	25 4	(-) -	(-)	primp		
ATHELHAMPTON	12	65/6	1	tugner.	2	2	(-) -	(-)	-		
BINCOMBE	38	10/10	Berry	627849	4	1	(-) -	(-)			
BROADMAYNE BUCKLAND NEWTON	273 91	7	7	scord desag	81	5	(-) 12 (-) -	(-) (-)	2		
BURLESTON	10	2	REP	400.00	Sort	BECOME:	(-) -	(			
CATTISTOCK	99	2	4	***	53	10	(-) -	(-)			
CERNE ABBAS CHARMINSTER CHESELBOURNE	133 346 27	2 5 2	13 9	Oracle Spreed spreed	17 15 38	14 40 6	(-) 1 (6) 13 (-) -	(-) (1) (1)	3		
CHICKERELL	763	5	tee		20	5	(-) 4	(-)	2		
CHILFROME DEWLISH	6 29	10	van 2	1907	12 34	83	(-) - (-) 2	(-) (-)	A Demonstrate of the Control of the		
FLEET	22	2	2.	694	2	1	(-) -	(-)	CONTRACTOR OF THE PARTY OF THE		
FRAMPTON FROME ST.QUINTIN	84 21	10	4	And	37 26	4 2	(-) -	(-) (-)	To the control of the		
FROME VAUCHURCH GODMANSTONE LANGTON HERRING MAIDEN NEWTON MELCOMBE HORSEY	55 34 41 134 25	- 4 13 6 1	3 1 27	prosition of the control of the cont	1 - 22 26	5 2 12 1	(-) - (-) - (-) - (-) -	(-) (-) (-)	ALL AND		
MINTERNE MAGNA	9	4	works	Q2300	78		(-) -	(-)			
(Lyons Gate) NETHER CERNE OSMINGTON	14 131	1 6	5	1	44	9	(-) - (-) l	(-)	The state of the s		
OWERMOIGNE	248	20	5	•	22	10	(-) 14		Apple of the state		

Figures in brackets
"Before Treatment"

# WATER SUPPLIES - Separate details for each parish (Contd.)

Parish	Source of Piped Supply	Name of Statutory Undertaking
PIDDLEHINTON	Borehole at Alton Pancras	Dorchester R.D.C. Via Poole & East Dorset Water Board
PIDDLETRENTHIDE	Borehole at Alton Pancras	Dorchester R.D.C. via Poole & East Dorset Water Board
PORTESHAM	Borehole at Portesham	Dorchester R.D.C.
POXWELL	Spring at "Empool" West Knighton	Dorchester R.D.C. via Weymouth Waterworks Co.
PUDDLETOWN	Borehole at ilton Pancras	Dorchester R.D.C. via Poole & East Dorset Water Board
STINSFORD	Borehole at Stinsford	Dorchester R.D.C. and Dorset County Council
STRATION	Borehole at "Forston" Charminster	•
SYDLING ST. NICHOLAS	Borehole at "Forston" Charminster	
TINCLETON	Borehole at Alton Pancras	Dorchester R.D.C. via Poole & East Dorset Water Board
TOLLER PORCORUM	Borehole at Maiden Newton	Dorchester R.D.C.
TOLPUDDLE	Borehole at Alton Pancras	Dorchester R.D.C. via Poole & East Dorset Water Board
WARMWELL	Spring at "Empool" West Knighton	Dorchester R.D.C. via Weymouth Waterworks Co.
WATERCOMBE	Spring at "Empool" West Knighton	Dorchester R.D.C. via Weymouth Waterworks Co.
WEST KNIGHTON	Spring at "Empool" West Knighton	Weymouth Waterworks Co.
WEST STAFFORD	Spring at "Empool" West Knighton	
WHITCOMBE	Spring at "Empool" West Knighton	
	Borehole at "Forston" Charminster	
WINTERBORNE CAME WINTERBORNE	Borehole at Friar Waddon	Portland U.D.C.
HERRINGSTON	Borehole at Friar Waddon	Portland U.D.C.
WINTERBORNE MONKTON	Borehole at Dorchester	Dorchester R.D.C. via
WINTERBORNE	Borehole at "Forston Charminster	Dorchester Boro.Council
ST. MARTIN	Borehole  Borehole	Portland U.D.C.
WINTERBORNE STEEPLETON	Borehole at "Forston" Charminster	
WOODSFORD	Borehole at "Empool" West Knighton	nDorchester R.D.C. via Weymouth Waterworks Co.

Dwelling   Other   Houses   Properties   In- Out-   Houses   Properties   In- Out-   Houses   Properties   Factory factory		
PIDDLETRENTHIDE         129         13         12         —         31         4         (-)         —         —           PORTESHAM         112         34         —         —         48         7         (1)         12         (-)         2           POXWELL         18         —         —         —         —         —         (-)         1         (-)         —         —         (-)         1         (-)         —         —         (-)         1         (-)         —         —         —         —         (-)         —	PARISH	
PORTESHAM         112 34	PIDDLEHINTON	
POXWELL       18       -       -       -       -       (-)       1       (-)       -         PUDDLETOWN       209       2       9       1       58       21       (-)       3       (-)       -         STINSFORD       20       6       -       -       62       5       (-)       -       (-)       -         STRATTON       90       6       2       -       17       10       (-)       -       (-)       -         SYDLING ST.       88       12       3       -       5       -       (-)       -       (-)       -	PIDDLETRENTHIDE	
STINSFORD       20       6       -       -       62       5       (-)       -       (-)       -         STRATION       90       6       2       -       17       10       (-)       -       (-)       -         SYDLING ST.       88       12       3       -       5       -       (-)       -       (-)       -         NICHOLAS       (-)       -       (-)       -       (-)       -       (-)       -		
STRATTON 90 6 2 - 17 10 (-) - (-) - SYDLING ST. 88 12 3 - 5 - (-) - (-) - NICHOLAS	PUDDLETOWN	
SYDLING ST. 88 12 3 - 5 - (-) - (-) - NICHOLAS	STINSFORD	
	SYDLING ST.	
TOLLER PORCORUM 18 9 51 7 (-) - (-) - TOLPUDDLE 42 4 3 - 28 1 (-) 3 (-) -		
WARMWELL 38 - 1 - 4 - (-) 1 (-) -	WARMWELL	
WATERCOMBE 8 2 1 - (-) - (-) -	WATERCOMBE	
WEST KNIGHTON       198       -       -       -       -       -       -       (1) 17 (1) -         WEST STAFFORD       59       4       2       1       2       2 (-) - (-) -         WHITCOMBE       12       -       -       1       -       (-) - (-) -         WINTERBORNE ABBAS       39       -       2       -       10       1       (-) 1 (-) -         WINTERBORNE CAME       10       -       -       -       6       -       (-) -       -         WINTERBORNE       6       -       -       6       -       (-) -       -	WEST STAFFORD WHITCOMBE WINTERBORNE ABBAS WINTERBORNE CAME	
HERRINGSTON WINTERBORNE  11 - 1 - 22 - (-) - (-) -	HERRINGSTON	
MONKTON (-) 5 (-) -	MONKTON	
ST. MARTIN	ST. MARTIN	
WINTERBORNE 28 8 2 1 (-) - (-) 1 STEEPLETON WOODSFORD 48 5 3 - 2 1 (-) - (-) -	STEEPLETON	

Figures in brackets
"Before Treatment"

(All these water supplies are Chlorinated)

# ANALYSIS OF A SAMPLE OF WATER

Water from Charminster main water pumping station, from No.1 Borehole

### CHEMICAL RESULTS IN PARTS PER MILLION

Appearance: Clear, bright water	er white liquid. No	sediment. Colourless.
Reaction: pH 7.4		
Ammonia (as N)		
Free		0.023
Albuminoid		
		0.035
Chlorine (as Chlorides)	- m- * 7	14.5
equivalent to Sodium Chl	oride	24
Oxygen absorbed (4 hrs.)		0.16
Nitrogen in Nitrite		absent
Nitrogen in Nitrate		4.0
Total Solids		266
Loss on ignition		20
Appearance on ignition		Slight charring
Hardness: Temporary		165
Permanent		41
'Total		206
Copper (Cu)	less than	0.1
Iron (Fe)		0.04
Fluoride (F)		0.09
		0.09
Mineral Analysis		
ETAL ESTABLES AND AN ORNAL STATE OF THE AND STATE OF THE		
Calcium Ca		
		79
Magnesium Mg		2
Sodium Na		7.4
Potassium K		0.5
Carbonate CO <sub>3</sub>		99
Sulphate S04		6.4
OTTOLINE		14.5
Nitrate NO3	•	18
Ignition Loss		20
Undetermined (including Si	lica)	9
Total Solids		266.0
		califorities and commissional desirability desirabilities.
# A possible combination of	f these ions is:	
Calcium Carbonate		165
Calcium Sulphate		9
Calcium Chloride		23
Calcium Nitrate		~ <i>7</i>
Magnesium Nitrate		12
Sodium Nitrate		3
Sodium & Potassium Silicate	es - remaindan	
* We must emphasize that the	nese calculated firm	rod horro marr 7:447 -
significance.	TODO CATOUTA DEC TIBU	
17th May, 1962		The state of the s
	store 7 7 engage	Public Analysist

- 17 -

# FOOD AND DRUGS ACT, 1955

# Meat Inspection:

	Cattle excluding cows	Cows	Calves	Sheep and Lambs	Pigs	'TO'TAL
Number killed	1,345	4,300	1,848	11,883	21,471	40,847
Number inspected	1,318	4,299	1,846	11,773	21,087	40,323
All diseases except Tuberculosis and Cystercerci	TEORIES TO THE STATE OF THE STA	THE PARTY AND TH				
Whole carcase condemned	1	71	32	44	52	200
Carcases of which some part or organ was condemned	170	2,395	11	889	5,421	8,886
Percentage of the number inspected affected with diseases other than Tuber-culosis and Cystercerci	12.98	57.36	2.33	7.92	25.95	22.53
Tuberculosis only						
Whole carcase condemned	The second secon	1		<b>4</b> 00 <b>40</b>	The state of the s	
Carcases of which some part or organ was condemned	31	101	THEFT TO THE TABLE AND THE TAB		425	557
Percentage of the number inspected affected with Tuberculosis	2.35	2.35			2.02	1.38
Cysticercosis	And an analysis of the state of	The state of the s				A CENTER OF THE PERSON OF THE
Carcases of which some part or organ was condemned	3	8	The state of the s	<b>6</b> 13 24	er vegetan er reter proposition er reter propositio	11
Carcases submitted to treat- ment by refrigeration	2	2			To the contract of the contrac	4
Generalised and totally condemned			bucks	•••	The second secon	and designation of the second
Total weight of meat condemne	d - 49 tons	9	cwts.	3 qrs.	17 1	bs.

## (a) Sampling

#### (i) Milk

Samples taken for Bacteriological examination Samples taken for Biological examination

#### (ii) Ice Cream

Samples taken ... 33

# (b) Food Premises

There are a total number of 214 in the area comprising:-

Bakehouses	10
Butchers	7
Grocers, Post Offices, etc., also selling food	60
Hotels, Public Houses and Guest Houses	61
Schools, Canteens, including Food Service	26
Dairies	3
Food Factories	2
Slaughterhouses	3
Cafes	17
Canteens and Snack Bars	12
Miscellaneous	13

Of these premises, 78 are registered under Section 16(i)(a) for the sale of ice cream, and 2 under Section 16(i)(b) for the preparation or manufacture of sausages or potted, pressed, pickled or preserved food intended for sale, of the Food and Drugs Act, 1955.

During the year, 63 visits of inspection were made to food premises, and arising from these inspections, one Statutory and 13 Informal Notices were served.

# (c) Food Condemnation

The surrender has been accepted during the year of the following quantities of foodstuffs:-

Foodstuffs other than tinned - 3 cwt. 3 qr. 4 lbs.
Tinned foodstuffs - Nil

# Meat (Staining & Sterilization) Regulations, 1960 Disposal of Rejected Meat

Of the three Slaughterhouses in the area, facilities for sterilization of unsound meat and offal exist at two of them. From the third Slaughterhouse, such meat and offal is removed by arrangement to the premises of a processing firm and is sterilized by the firm concerned.

lcc Cream (Heat Treatment) Regs., 1947-1952 (Ice Cream is not manufactured in this area.)

# RODENT CONTROL

The work carried out by the Council's Rodent Operators is shown in the following summary:-

	Local	Dwelling Houses	Agric.	All Others	TOTAL	
No. of properties inspected as a result of:-		THE CALL OF THE CA			The state of the s	
(a) Notification	E COM	205	23	25	253	
(b) Survey	9.338	4,146	343	164	4,653	
(c) Otherwise		All the second s	Th. digital distributions of the control of the con	TO THE PARTY OF TH	E-miles	
Total inspections carried out		4,351	366	189	4,906	
No. of properties inspected which were found to be infested by:-			THE PROPERTY OF THE PROPERTY O		THE CANADA AND AND AND AND AND AND AND AND AN	
(a) Rats - Major Minor	STATES ST	339	1 31	19	1 389	
(b) Mice - Major Minor	SCHOOL SECTION SCHOOL SECTION	4 23	The state of the s	7	4 25	
No. of infested properties treated by Local Authority	TI TO TO THE PARTY OF THE PARTY	366	33	20	419	
No. of Notices served under Section 4:-						
(a) Treatment	offilizes	Many	1		1	
(b) Structural Work	Mercana Control Contro	600to	Orași de la companie		Eco.	
Number of "Block" control schemes carried out - NIL						

### Rodent Control Contracts

Annual contracts have been entered into in respect of 21 farms and other premises. The total value of these was £307. 3s. Od.

# dent Control (Contd.)

# CL LAINTS

	Complaints received	Dealtwith	Outstanding at 31.12.63	Referred to other Departments
Rats and Mice	253	252	1	
Other Vermin	5	5	emp	***
Refuse Collection	45	45	***	· · · · · · · · · · · · · · · · · · ·
Nuisances	58	51	4	3
	361	353	5	nutral confederation of the co

# FACTORIES ACTS, 1947 & 1948

(a) Factories	No. on Register	Inspections	Written Notices	Occupiers Prosecuted
1. Factories in which Section 1, 2, 3, 4 & 6 are to be enforced by Local Authorit		9	The second secon	
2. Factories not included in in which Section 7 is to be enforced by Local Authorit	DE	TO THE PARTY OF TH		The state of the s
3. Other premises in which Section 7 is to be enforce by Local Luthorities	(;)	The And General Laboratory and the Conference of	2	
TOTALS	143	19	3	

# Factories Lcts, 1947 & 1948 (Contd.)

Cases in which defects were found	Found	Remedied	Refer To H.M. Inspector	To H.M.	Prosecu- tions
Want of Cleanliness (S.1)	de de la constanta de la const	To the state of th		- Control of the Cont	
Overcrowding (S.2)		10 to	Powe		—
Unreasonable temperature (S.3)	The second secon	-	The state of the s	_	
Inadequate Ventilation (S.4)	THE PROPERTY OF THE PROPERTY O	waren i	-	-	
Ineffective drainage of floors (S.6) Sanitary conveniences:-					
(a) Insufficient	3	3	-	_	
(b) Unsuitable or defective	0°		nu <b>s</b>	_	
(c) Not separate for sexes	**************************************		-	-	WITE
TOTAL	3	3			enna

# (b) <u>Outworkers</u>

No. of Outworkers employed by Wearing apparel manufacturers 4

No. of Outworkers employed by Curtain and Furniture hanging manufacturers -

No. of Outworkers employed in Net manufacturers 89

TOTAL: 93

Number of Inspections carried out during the year by:-

# (i) Public Health Officers

	Housing	551
	Food and Drugs	1,062
	General Work	1,177
		2,790
(ii) Rodent Operators		4,906
	TOTAL:	7,696



